



ND INDUSTRIES, INC.
 1893 BARRETT ROAD
 TROY, MICHIGAN 48084
 (248) 288-0000 Fax: (248) 288-0022
24 hr. EMERGENCY CHEMTREC:
 1-800-424-9300

PRODUCT: ND WaxLube™ 2
MSDS ID: ND2050
ORIG. DATE: 9/15/97
REV. DATE: 10/4/05

PREPARED BY: Chemical Safety

SECTION I -Material Identification and Information H: 0 F: 1 R: 0 PPEB

COMPONENTS	CAS #	PERCENT %	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
Petroleum Hydrocarbon	WX-00-302	non-haz. 0-100	n.e.	n.e.	wax fume

All ingredients are listed on the TSCA Inventory.

n.a.= not applicable / n.e.=not established

SECTION II -Physical and Chemical Characteristics

BOILING POINT: >300°C
VAPOR DENSITY: N/A air = 1
VAPOR PRESSURE: N/A
MELTING POINT: N/A
SPECIFIC GRAVITY: 0.94 water = 1
EVAPORATION RATE: N/A
WATER REACTIVE: N/A
SOLUBILITY IN WATER: < 0.1%
APPEARANCE AND ODOR: White to brown waxy solid at room temperature. Mild waxy odor.

VOC #/gal. :
DENSITY OF COATING:

SECTION III - Fire and Explosion Hazard Data

FLASH POINT: n.e.
AUTOIGNITION TEMPERATURE: N/A
FLAMMABILITY LIMITS % IN AIR: LEL: N/A UEL: N/A
EXTINGUISHER MEDIA: Water, Foam, CO2

SPECIAL FIREFIGHTING PROCEDURES: Wear a NIOSH approved self-contained breathing apparatus and full protective clothing.

UNUSUAL FIRE HAZARDS AND CONDITIONS TO AVOID: None Known

MATERIAL SAFETY DATA SHEET

PRODUCT: ND WaxLube™ 2

Component	Oral LD50	Dermal LD50	Inhalation LC50
Pertroleum Hydrocarbons	n.e.	n.e.	n.e.

SECTION VI - Control and Protective Measures

RESPIRATORY PROTECTION: Work in well ventilated areas. If concentration is likely to exceed TLV, wear suitable organic vapor respirator according to manufacturer instructions.

PROTECTIVE GLOVES: Impervious gloves.

EYE PROTECTION: Safety glasses or splash proof goggles.

VENTILATION TO BE USED: LOCAL EXHAUST: MECHANICAL: SPECIFIC: OTHER (specify): Work in well ventilated areas.

PROTECTIVE CLOTHING AND EQUIPMENT: Wear impervious clothing to prevent repeated skin exposure.

HYGIENIC WORK PRACTICES: Practice good personal hygiene and wash hands after using product.

SECTION VII - Precautions for Safe Handling and Spill/Leak Procedures

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:

Allow to solidify, scrape up and treat as solid combustible material. This product is a non-hazardous waste when spilled or disposed of as defined in RCRA, 40 CFR part 261.

WASTE DISPOSAL METHODS: Dispose of material according to local, state and federal regulations.

SAFE HANDLING AND STORAGE: Protect from splashing or contact with molten material. Avoid breathing product vapors and skin contact. Store material in a cool, dry place and keep product container sealed when not in use.

OTHER PRECAUTIONS AND SPECIAL HAZARDOUS INFORMATION:

RECOMMENDED NFPA/HMIS RATING

HEALTH 0

FLAMMABILITY 1

REACTIVITY 0

PERSONAL PROTECTION B

note: ratings may differ according to application, environment, and physical state.

MATERIAL SAFETY DATA SHEET

PRODUCT: ND WaxLube™ 2

NOTES:

D.O.T. Proper shipping Name: Not Regulated

SECTION 313 SUPPLIER NOTIFICATION

Detaching this notification from the Material Safety Data Sheet is prohibited by law and any copying or distribution of same requires this attachment be included.

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CAS #</u>	<u>CHEMICAL NAME</u>	<u>% BY WEIGHT</u>
	None	

This product contains the following materials that under California Proposition 65 of the Safe Drinking Water and Toxic Enforcement Act of 1986 are recognized to cause cancer or reproductive toxicity.

<u>Material</u>	<u>CAS #</u>	<u>Concentration %</u>	<u>Cancer Agent</u>	<u>Reproductive Toxin</u>	<u>cancer agent & Reproductive Toxin</u>
None					

The information contained herein is based on the data available to us and is believed to be correct. However, ND Industries®, Inc. makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their properties prior to use. Since conditions of use are beyond our control, all risks are assumed by the user.