

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

1 Identification

- Product identifier

- Trade name: Epoxy-Lock®

- Synonyms: Epoxy Lock® - All Colors - Applied

- Other means of identification

- Part number: Epoxylock - app

- Application of the substance / the mixture

Sealing

Sealant

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, a subsidiary of H.B. Fuller Company

1000 North Crooks Road

Clawson, MI 48017

USA

Telephone: +1-248-288-0000

Email: nd-info@hbfuller.com

Websites: www.ndindustries.com | www.vibra-tite.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300

International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Reproductive toxicity 1B

H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin corrosion 1C

H314 Causes severe skin burns and eye damage.



GHS07

Eye irritation 2A

H319 Causes serious eye irritation.

Sensitization - skin 1B

H317 May cause an allergic skin reaction.

Specific target organ toxicity (single exposure) 3 H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GHS05 GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

Aminophenol

Epoxy resin

Acrylic polymer

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Bisphenol-A epoxy resin

(1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl) bismethacrylate

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

Trade name: Epoxy-Lock®

(Contd. of page 1)

- Hazard statements

H314 Causes severe skin burns and eye damage.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H351 Suspected of causing cancer.
 H360 May damage fertility or the unborn child.
 H335 May cause respiratory irritation.

- Precautionary statements

P260 Do not breathe dusts or mists.
 P264 Wash thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P280 Wear protective gloves.
 P280 Wear eye protection / face protection.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a poison center/doctor.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P312 Call a poison center/doctor if you feel unwell.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable
 - **vPvB:** Not applicable

- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

- Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

CAS: 28064-14-4	Epoxy resin	15 – 40%
	Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317; Specific target organ toxicity (single exposure) 3, H335	
CAS: 90-72-2	Aminophenol	10 – 30%
	Skin corrosion 1C, H314; Eye damage 1, H318; Acute toxicity - oral 4, H302; Acute toxicity - dermal 4, H312	
CAS: 24448-20-2	(1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl) bismethacrylate	10 – 30%
	Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1B, H317	
CAS: 15625-89-5	Acrylic polymer	7 – 13%
	Carcinogenicity 2, H351; Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317	
CAS: 25068-38-6	Bisphenol-A epoxy resin	5 – 10%
	Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317; Specific target organ toxicity (single exposure) 3, H335	
CAS: 30499-70-8	Trimethylolpropane triglycidyl ether	1 – 5%
	Skin corrosion 1C, H314; Eye damage 1, H318	
CAS: 103-83-3	Curing agent	1 – 5%
	Flammable liquids 3, H226; Acute toxicity - oral 3, H301; Acute toxicity - inhalation 3, H331; Skin corrosion 1B, H314; Acute toxicity - dermal 4, H312	
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	0.1 – 1%
	Reproductive toxicity 1B, H360; Sensitization - skin 1, H317	

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

Trade name: Epoxy-Lock®

(Contd. of page 2)

4 First-aid measures

- Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
 - **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling

Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.

- **Information about protection against explosions and fires:** No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- Control parameters

- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

CAS: 15625-89-5 Acrylic polymer

WEEL	Long-term value: 1 mg/m ³ Skin
------	--

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

Trade name: Epoxy-Lock®

(Contd. of page 3)

- **Additional information:** The lists that were valid during the creation were used as basis.

- Exposure controls

- **Appropriate engineering controls** No further data; see section 7.

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

- Breathing equipment:

Not required

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Required use of safety glasses



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Physical state

Solid

- Color:

According to product specification

- Odor:

Odorless

- Odor threshold:

Not determined

- Melting point/Melting range:

Undetermined

- Boiling point/Boiling range:

≥ 150 °C (≥ 302 °F)

- Flammability:

Not determined

- Explosion limits:

- Lower:

Not determined

- Upper:

Not determined

- Flash point:

140 °C (284 °F)

- Decomposition temperature:

Not determined

- pH-value at 20 °C (68 °F):

8

- Viscosity:

- Kinematic:

Not applicable

- Dynamic:

Not applicable

- Solubility in / Miscibility with

- Water:

Insoluble.

- Partition coefficient (n-octanol/water):

Not determined

- Vapor pressure at 20 °C (68 °F):

n.a. hPa

- Vapor pressure:

- Density at 20 °C (68 °F):

~ 1.01 g/cm³ (~ 8.42845 lbs/gal)

- Relative density

Not determined

- Vapor density

Not applicable

- Particle characteristics

Not determined

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

Trade name: Epoxy-Lock®

(Contd. of page 4)

- Other information

- Appearance:

- Form:

Solid material

- Important information on protection of health and environment, and on safety.

- Ignition temperature:

Product is not selfigniting.

- Danger of explosion:

Product does not present an explosion hazard.

- Solvent content:

- Organic solvents:

13.0 %

- VOC content:

13.00 %

- Solids content:

51.0 %

- Change in condition

- Evaporation rate

Not applicable.

10 Stability and reactivity

- **Reactivity** No further relevant information available.

- Chemical stability

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

- **Possibility of hazardous reactions** No dangerous reactions known.

- **Conditions to avoid** No further relevant information available.

- **Incompatible materials:** No further relevant information available.

- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	3,494 mg/kg (rat)
Dermal	LD50	8,804 mg/kg
Inhalative	LC50/4 h	58.9 mg/l (rat)

CAS: 90-72-2 Aminophenol

Oral	LD50	1,200 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat)

CAS: 103-83-3 Curing agent

Oral	LD50	265 mg/kg (rat)
Dermal	LD50	1,660 mg/kg (rabbit)
Inhalative	LC50/4 h	2.06 mg/l (rat)

CAS: 75980-60-8 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Oral	LD50	> 5,000 mg/kg (rat)
------	------	---------------------

- Primary irritant effect:

- **on the skin:** Caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Interactive effects** No interactive effects between components are known.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

CAS: 15625-89-5 Acrylic polymer

2B

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

Trade name: Epoxy-Lock®

(Contd. of page 5)

- **Alternative sources for toxicological information** No non-standard sources for toxicological information where used.

12 Ecological information

- Toxicity

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- Results of PBT and vPvB assessment

- **PBT:** Not applicable

- **vPvB:** Not applicable

- Other adverse effects

- **Remark:** Toxic for fish

- Additional ecological information:

- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

13 Disposal considerations

- Waste treatment methods

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- UN-Number

- **DOT, ADN, IMDG, IATA** not regulated

- UN proper shipping name

- **DOT, ADN, IMDG, IATA** not regulated

- Transport hazard class(es)

- **DOT, ADN, IMDG, IATA**
- **Class** not regulated

- Packing group

- **DOT, IMDG, IATA** not regulated

- Environmental hazards:

Not applicable

- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

- Special precautions for user

Not applicable

- UN "Model Regulation":

not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

Trade name: Epoxy-Lock®

(Contd. of page 6)

- Proposition 65**- Chemicals known to cause cancer:**

CAS: 15625-89-5 | Acrylic polymer

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories**- EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- TLV (Threshold Limit Value)

None of the ingredients is listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: H.B. Fuller Company | ND Industries Health and Environmental Affairs**- Contact:** Safety, Health and Environmental Affairs**- Classification System:****- HMIS-ratings (scale 0 - 4)**

HEALTH	3	Health = 3
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- NFPA ratings (scale 0 - 4)

3	1	0	Health = 3
			Fire = 1
			Reactivity = 0

- Date of previous version 12/08/2025**- Version number of previous version:** 13**- Date of preparation** 07/28/2026**- Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Flammable liquids 3: Flammable liquids – Category 3
 Acute toxicity - oral 3: Acute toxicity – Category 3
 Acute toxicity - oral 4: Acute toxicity – Category 4
 Skin corrosion 1B: Skin corrosion/irritation – Category 1B
 Skin corrosion 1C: Skin corrosion/irritation – Category 1C
 Skin irritation 2: Skin corrosion/irritation – Category 2
 Eye damage 1: Serious eye damage/eye irritation – Category 1
 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
 Sensitization - skin 1: Skin sensitisation – Category 1
 Sensitization - skin 1B: Skin sensitisation – Category 1B
 Carcinogenicity 2: Carcinogenicity – Category 2
 Reproductive toxicity 1B: Reproductive toxicity – Category 1B
 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

- * Data compared to the previous version altered.**- Disclaimer**

IMPORTANT: Information, specifications, procedures and recommendations provided ("information") are based on our experience and we believe this to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 07/28/2026

Reviewed on 07/28/2026

Trade name: Epoxy-Lock®

(Contd. of page 7)

information, or that use of the product will avoid losses or damages or give desired results. It is user's sole responsibility to test and determine the suitability of any product for the intended use. Tests should be repeated if materials or conditions change in any way. The user is advised to review the specific context of the intended use to determine whether the user's intended use violates any law or infringes upon any patent(s). No employee, distributor or agent has any right to change these facts and offer a guarantee of performance.

H.B. Fuller, ND, ND Industries, and Vibra-TITE are registered trademarks of the H. B. Fuller Company.