



Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2015 Reviewed on 07/08/2015

1 Identification

- Product identifier

- Trade name: ND Microspheres® Acrylic Series

- Synonyms: AA0696 - Part number: AA0696

- Relevant identified uses of the substance or mixture Thread locker

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department
- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

- Label elements
 - GHS label elements Void
 - Hazard pictograms Void
 - Signal word Void
 - Hazard statements Void
 - Additional information:

33.6 percent of the mixture consists of ingredient(s) of unknown toxicity.

- Classification system:
 - NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

- HMIS-ratings (scale 0 - 4)



Fire = 1

- Other hazards
 - Results of PBT and vPvB assessment
 - **PBT**: Not applicable. - vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

Kaolin Clay 5-10%

4 First-aid measures

- Description of first aid measures
 - General information: No special measures required.
 - After inhalation: Supply fresh air; consult doctor in case of complaints.
 - After skin contact: Generally the product does not irritate the skin.
 - After eye contact: Rinse opened eye for several minutes under running water.
 - After swallowing: If symptoms persist consult doctor.

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2015 Reviewed on 07/08/2015

Trade name: ND Microspheres® Acrylic Series

(Contd. of page 1)

- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Precautions for safe handling

No special measures required.

- No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

- Components with limit values that require monitoring at the workplace:

Kaolin Clay

PEL Long-term value: 15* 5** mg/m³

*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³

*total dust **respirable fraction

TLV Long-term value: 2* mg/m³

E; as respirable fraction

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
 - Breathing equipment: Not required.
 - Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2015 Reviewed on 07/08/2015

Trade name: ND Microspheres® Acrylic Series

ial of gloves

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Goggles recommended during refilling.
- Body protection: Protective work clothing

* 9 Physical and chemical properties

9 Physical and chemical propertie	
- Information on basic physical and c	chemical properties
- General Information	
- Appearance:	
- Form:	Fluid
- Color:	Yellow
- Odor:	Characteristic
- Odour threshold:	Not determined.
- pH-value:	Not determined.
 Change in condition 	
 Melting point/Melting range: 	Undetermined.
- Boiling point/Boiling range:	100 °C (212 °F)
- Flash point:	95 °C (203 °F)
- Flammability (solid, gaseous):	Not applicable.
- Ignition temperature:	
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
 Density at 20 °C (68 °F): 	1.05 g/cm³ (8.762 lbs/gal)
 Relative density 	Not determined.
 Vapour density 	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/w	vater): Not determined.
- Viscosity:	
- Dynamic at 20 °C (68 °F):	1500 mPas
- Kinematic:	Not determined.
- Solvent content:	
 Organic solvents: 	1.4 %
- Water:	53.0 %
 VOC content: 	1.4 %
	14.3 g/l / 0.12 lb/gl
- Solids content:	45.0 %
- Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity
 - Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2015 Reviewed on 07/08/2015

Trade name: ND Microspheres® Acrylic Series

(Contd. of page 3)

- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

*11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
 - Sensitization: No sensitizing effects known.
 - Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

- IARC (International Agency for Research on Cancer) 7631-86-9 Silicon dioxide, Untreated fumed 3 - NTP (National Toxicology Program) None of the ingredients is listed. - OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information		
- UN-Number - DOT, ADN, IMDG, IATA	not regulated	
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated	
- Transport hazard class(es)		
- DOT, ADN, IMDG, IATA - Class	not regulated	
- Packing group - DOT, IMDG, IATA	not regulated	

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2015 Reviewed on 07/08/2015

Trade name: ND Microspheres® Acrylic Series

(Contd. of page 4)

- Environmental hazards: - Marine pollutant:	No	
- Special precautions for user	Not applicable.	
- Transport in bulk according to Annex II of	of MARPOL73/78	
and the IBC Code	Not applicable.	
- UN "Model Regulation":	-	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Section 355 (extremely hazardous substances): None of the ingredients is listed. - Section 313 (Specific toxic chemical listings): None of the ingredients is listed. - TSCA (Toxic Substances Control Act): Ethoxylated Bisphenol A Dimethacrylate Esters Kaolin Clay Diethylene Glycol Silicon dioxide, Untreated fumed Catalyst Deionized water

- Proposition 65

- Chemicals known to cause cancer:
- None of the ingredients is listed.
 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
 - EPA (Environmental Protection Agency)

None of the ingredients is listed.

- TLV (Threshold Limit Value established by ACGIH)

Kaolin Clay **A4**

- NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
 - Date of preparation / last revision 07/13/2015 / 4
 - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2015 Reviewed on 07/08/2015

Trade name: ND Microspheres® Acrylic Series

(Contd. of page 5)

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.