



Safety Data Sheet acc. to OSHA HCS

Printing date 07/17/2015

Reviewed on 05/22/2015

1 Identification

- Product identifier

- Trade name: Stay-Put®

- Synonyms: 207
- Part number: SP207

- Relevant identified uses of the substance or mixture Assembly aid / prevention of fastener slippage

- Details of the supplier of the safety data sheet

- *Manufacturer/Supplier:* ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department

- *Emergency telephone number:* United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms



- Signal word Warning

- Hazard-determining components of labeling:

Bisphenol-A epoxy resin

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves. Wear eye protection / face protection. P280 P264 Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. P272 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 Wash contaminated clothing before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label). Dispose of contents/container in accordance with local/regional/national/international regulations. P501

(Contd. on page 2)

Printing date 07/17/2015

Classification system:
 NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

	Ethyl acrylate	30-40%
	Acrylic esters	10-20%
25068-38-6	Bisphenol-A epoxy resin	10-20%
	Cross-linking agent	1-5%
80-51-3	Hydrazide	1-5%
	Photochemical	1-5%

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
Wear protective clothing.
- Environmental precautions:
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

Reviewed on 05/22/2015

Printing date 07/17/2015

Trade name: Stay-Put®

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

- Information about protection against explosions and fires: Protect from heat.

- Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed.
- Protect from heat and direct sunlight.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

80-51-3 Hydrazide

TLV Long-term value: 0.1* mg/m³

*as inhalable fraction

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - **Eye protection:**



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties	;
- General Information	

- Appearance:
 - Form:
- Color: - Odor:

Melt Amber colored Characteristic

(Contd. of page 2)

Reviewed on 05/22/2015

(Contd. of page 3)

Printing date 07/17/2015

Trade name: Stay-Put®

Reviewed on 05/22/2015

- Odour threshold:	Not determined.
- pH-value:	Not determined.
 Change in condition Melting point/Melting range Boiling point/Boiling range 	
- Flash point:	94 °C (201 °F)
- Flammability (solid, gaseous):	Not applicable.
- Ignition temperature:	
- Decomposition temperatur	e: Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits: - Lower: - Upper:	Not determined. Not determined.
- Vapor pressure:	Not determined.
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	1.05 g/cm ³ (8.762 lbs/gal) Not determined. Not determined. Not determined.
- Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octano	<i>I/water):</i> Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: 	0.0 %
- Solids content: Other information	45.0 % No further relevant information available.

- *Reactivity* No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.

- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

-	LD/LO	C50 values that are relevant for classification:
Cross-I	inking	agent
Oral	LD50	5000 mg/kg (rat)
80-51-3	Hydra	zide
Oral	LD50	2300 mg/kg (rat)
Dermal	LD50	200 mg/kg (rabbit)
Photoc	hemica	al
Oral	LD50	500 mg/kg (ATE)
	Duina	irritant affact

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.

Safety Data Sheet acc. to OSHA HCS

Printing date 07/17/2015

Trade name: Stay-Put®

- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.

Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to fish

- Additional ecological information:

- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT, ADN, IMDG, IATA	not regulated
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated
- Transport hazard class(es)	
- DOT, ADN, IMDG, IATA - Class	not regulated
- Packing group - DOT, IMDG, IATA	not regulated
 Environmental hazards: Marine pollutant: 	Νο
- Special precautions for user	Not applicable.
 Transport in bulk according to Annex II of MARPOL73/ and the IBC Code 	78 Not applicable.
- UN "Model Regulation":	not regulated

(Contd. of page 4)

Reviewed on 05/22/2015

Trade name: Stav-Put®

Reviewed on 05/22/2015

Regulatory information	(Contd. of pa
Safety, health and environmental regulations/legislation specific for the substance or mixture - Sara	
- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
- TSCA (Toxic Substances Control Act):	
Bisphenol-A epoxy resin	
Hydrazide	
Synthetic amorphous silica (fumed)	
Accelerator	
- Proposition 65	
- Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for males: 	
None of the ingredients is listed.	
- Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
- Carcinogenic categories	
- EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
- TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific	product features an

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires
 - Date of preparation / last revision 07/17/2015 / -

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation Skin, Hazard Category 1

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.