



ND INDUSTRIES, INC.
 1893 BARRETT ROAD
 TROY, MICHIGAN 48084
 (248) 288-0000 Fax: (248) 288-0022
24 hr. EMERGENCY CHEMTREC:
1-800-424-9300

PRODUCT: ND Specialty Coating #006 HV (applied)

MSDS ID: ND3045
 ORIG. DATE: 5/31/01
 REV. DATE: 7/1/04
 REV. DATE:

PREPARED BY: Chemical Safety

SECTION I -Material Identification and Information H: 0 F: 0 R: 0 PPEB

COMPONENTS	CAS #	PERCENT %	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
Polyethylene	EXP-08-121	9002-88-4 30-75	n.e.	n.e.	non -hazardous
Talc	EXP-08-204	14807-96-6 30-75	2.0 mg/m3.	2.0 mg/m3.	non -hazardous

All ingredients are listed on the TSCA Inventory.

n.a.= not applicable / n.e.=not established

SECTION II -Physical and Chemical Characteristics

BOILING POINT: n.a. **VOC :**

VAPOR DENSITY: n.a. air = 1 **DENSITY OF COATING:**

VAPOR PRESSURE: n.a.

MELTING POINT: n.a.

SPECIFIC GRAVITY: ~1.10 water = 1

EVAPORATION RATE: n.a.

WATER REACTIVE: No.

SOLUBILITY IN WATER: No.

APPEARANCE AND ODOR: Off-white to transparent solid film.

SECTION III - Fire and Explosion Hazard Data

FLASH POINT: n.a.
AUTOIGNITION TEMPERATURE: n.a.
FLAMMABILITY LIMITS % IN AIR: LEL: n.a. UEL: n.a.
EXTINGUISHER MEDIA: Use CO2, foam, dry chemical or water spray.

SPECIAL FIREFIGHTING PROCEDURES: Wear s NIOSH approved self-contained breathing apparatus operated in pressure-demand or other positive pressure mode when fighting fires. Cool fire exposed containers.

UNUSUAL FIRE HAZARDS AND CONDITIONS TO AVOID: None known.

MATERIAL SAFETY DATA SHEET

PRODUCT: ND Specialty Coating #006 HV (applied)

SECTION IV - Reactivity Hazard Data

STABILITY: **stable:** X **unstable:**
HAZARDOUS POLYMERIZATION: **may occur:** **will not occur:** X
CONDITIONS TO AVOID: Monomer vapors may evolve when material is heated during processing operations.

INCOMPATIBILITY: None known with solid form.

HAZARDOUS DECOMPOSITION PRODUCTS: Irritating and/or toxic fumes may be released.

SECTION V - Health Hazard Data

PRIMARY ROUTES OF ENTRY:	INHALATION:	INGESTION:	SKIN ABSORPTION:
EYE CONTACT:	Small particulate may cause mechanical irritation		
FIRST AID:	Thoroughly flush eyes with generous amounts of water for 15 minutes, lifting both upper and lower eyelids occasionally. Seek medical attention.		
SKIN CONTACT:	Not expected to be a route of exposure.		
FIRST AID:	Thoroughly wash exposed area with soap and water. If irritation occurs, get medical attention.		
INHALATION:	Not a route of exposure		
FIRST AID:			
INGESTION:	Not an expected route of exposure		
FIRST AID:			
CHRONIC EFFECTS:	None.		
Carcinogenic:	Not listed.		

MATERIAL SAFETY DATA SHEET

PRODUCT: ND Specialty Coating #006 HV (applied)

Component	Oral LD50	Dermal LD50	Inhalation LC50
Polyethylene	>8 g/kg	n.e.	n.e.
Talc	n.e.	200 mg/m3.	11 mg/m3. (rat)

SECTION VI - Control and Protective Measures

RESPIRATORY PROTECTION: Not expected to be needed with material supplied in applied form.

PROTECTIVE GLOVES: Latex gloves.

EYE PROTECTION: Wear safety glasses with side shields.

VENTILATION TO BE USED: LOCAL EXHAUST: MECHANICAL: SPECIFIC: OTHER (specify): n.a.

PROTECTIVE CLOTHING AND EQUIPMENT: None needed with solid product.

HYGIENIC WORK PRACTICES: Wash hands before eating and after shift.

SECTION VII - Precautions for Safe Handling and Spill/Leak Procedures

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:

Sweep or vacuum material and place in receptacle for proper disposal.

WASTE DISPOSAL METHODS: Dispose of material in accordance with local, state and federal regulations.

SAFE HANDLING AND STORAGE: Keep material away from excessive heat.

OTHER PRECAUTIONS AND SPECIAL HAZARDOUS INFORMATION:

**RECOMMENDED
NFPA/HMIS
RATING**

HEALTH 0

FLAMMABILITY 0

REACTIVITY 0

**PERSONAL
PROTECTION B**

note: ratings may differ according to application, environment, and physical state.

MATERIAL SAFETY DATA SHEET

PRODUCT: ND Specialty Coating #006 HV (applied)

NOTES:

Proper DOT shipping name:
not regulated

SECTION 313 SUPPLIER NOTIFICATION

Detaching this notification from the Material Safety Data Sheet is prohibited by law and any copying or distribution of same requires this attachment be included.

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CAS #</u>	<u>CHEMICAL NAME</u>	<u>% BY WEIGHT</u>
--------------	----------------------	--------------------

This product does not contain regulated levels of any toxic chemical subject to the reporting requirements of section 313 of Title III of the Superfund Amendments Reauthorization Act of 1986 (40 CFR 372)

This product contains the following materials that under California Proposition 65 of the Safe Drinking Water and Toxic Enforcement Act of 1986 are recognized to cause cancer or reproductive toxicity.

<u>Material</u>	<u>CAS #</u>	<u>Concentration %</u>	<u>Cancer Agent</u>	<u>Reproductive Toxin</u>	<u>cancer agent & Reproductive Toxin</u>
-----------------	--------------	------------------------	---------------------	---------------------------	--

The information contained herein is based on the data available to us and is believed to be correct. However, ND Industries®, Inc. makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their properties prior to use. Since conditions of use are beyond our control, all risks are assumed by the user.